# Safety Data Sheet

Issue Date: 23-Jun-2015

Revision Date: 07-Jul-2017

Version 1

# **1. IDENTIFICATION**

Product Identifier Product Name

BEECK Bonding Coat fine

**BEE-005** 

Other means of identification SDS #

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Silicate primer for interior and exterior. The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions.

Details of the supplier of the safety data sheet

Supplier Address Historic Building Products, LLC DBA – Beeck Mineral Paints 8161 Regent Parkway #101 Fort Mill, SC 29715-8405 Ph: 704-940-3603

#### Emergency Telephone Number

# Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Natural white liquid

Physical state Liquid

Odor Mild

# **Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Calcium Carbonate	1317-65-3	10-20
Talc	14807-96-6	5-10
Titanium(IV) Oxide	13463-67-7	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin Contact	IF ON SKIN: Wash with plenty of water and soap. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.	
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.	
Ingestion	Rinse mouth. Do NOT induce vomiting. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Get immediate medical attention.	
Most important symptoms and effects		
Symptoms	May cause skin and eye irritation. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

#### Specific Hazards Arising from the Chemical

Product is not flammable or combustible. Heating leads to an increase in pressure. Risk of receptacle bursting.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water spray may be used to keep fire-exposed containers cool.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Ventilate area of leak or spill.

Environmental precautions

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.
Methods for Clean-Up	Place in appropriate containers for disposal. For waste disposal, see section 13 of the SDS.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on Safe Handling	Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Store in a cool, well-ventilated area, away from ignition sources and incompatible materials. Keep container tightly closed. Store locked up. Do not use metal containers. Do not use glass containers. Keep at temperatures between 5°C and 25°C. Protect from freezing. Do not store near acids.
Packaging Materials	Do not use containers from following material: aluminum, zinc, glass.
Incompatible Materials	Strong oxidizers. Strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
		fraction	
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Talc	TWA: 2 mg/m <sup>3</sup> particulate matter		IDLH: 1000 mg/m <sup>3</sup>
14807-96-6	containing no asbestos and <1%		
	crystalline silica, respirable	silica, containing no Asbestos	Asbestos and <1% Quartz
	particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more;use Quartz limit	
Titanium(IV) Oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total	-
		dust	

# Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations

Ventilation systems. Apply technical measures to comply with the occupational exposure limits. Provide acid-resistant flooring.

# Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. The manufacturer recommends the following glove materials: PVC- or rubber gloves. Safety gloves should be selected for the actual conditions of use and in accordance with the instructions for use provided by the manufacturer. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Natural white liquid Natural white	Odor Odor Threshold	Mild Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate	<u>Values</u> 11 No data available No data available Not data available Not determined	Remarks • Method ISO 4316	
Flammability (Solid, Gas) Flammability Limits in Air Upper Flammability Limits Lower Flammability Limit	Not determined No data available No data available		
Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents	No data available No data available 1.40 g/cm3 No data available No data available		
Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties	No data available Not determined No data available No data available 3000 mPa s Not determined	ISO 2555	
Oxidizing Properties Other Information	Not determined		
Softening Point	No data available		

# **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to Avoid

Keep out of reach of children.

#### **Incompatible Materials**

Strong oxidizers. Strong acids.

## Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	May cause temporary irritation on eye contact.
Skin Contact	May cause temporary irritation on skin contact.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Silicate 1312-76-1	= 5700 mg/kg (Rat)	-	-
Titanium(IV) Oxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity**Titanium dioxide is a possible carcinogen when it appears as a respirable dust. IARC: In 2006, IARC concluded that inhaled talc not containing asbestos or asbestiform fibers is not classifiable as a human carcinogen (Group 3). IARC concluded that there is limited evidence that the use of talc-based body powder for perineal dusting is a possible risk factor for ovarian cancer (Group 2B). This is not a route of exposure relevant to workers and applies only to one specific use of talc.

NTP: In 2000, NTP reviewed both "talc containing asbestiform fibers" and "talc not containing asbestiform fibers," and did not list either type in light of continuing uncertainty in the scientific literature. The NTP did not consider the ovarian cancer studies in the evaluation of talc not containing asbestiform fibers because it was unclear if the talc used in these studies might have been contaminated with asbestos. 66 Fed. Reg. 13,334 (Mar. 5, 2001).

U.S.FDA: In 2009 – 2010, U.S. FDA conducted a survey of currently marketed cosmetic products containing talc- as well as the talc in the cosmetic products, and found no asbestos fibers or structures. FDA continues to monitor new information concerning talc safety. There are epidemiology studies on this subject in the reported literature that should be consulted for further information.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6		Group 3		Х
Titanium(IV) Oxide 13463-67-7		Group 2B		Х

#### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

52,032.00 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Talc		100: 96 h Brachydanio rerio g/L	
14807-96-6		LC50 semi-static	
Potassium Silicate		301 - 478: 96 h Lepomis	216: 96 h Daphnia magna mg/L
1312-76-1		macrochirus mg/L LC50 3185: 96 h	EC50
		Brachydanio rerio mg/L LC50	
		semi-static	

#### Persistence/Degradability

Not determined.

**Bioaccumulation** 

Not determined.

<u>Mobility</u>

Not determined

#### **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations. Packaging can be sent for recycling after being emptied and cleaned.

# **14. TRANSPORT INFORMATION**

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Calcium Carbonate	Х	Х	Х	Present	Х	Present	Х	Х
Talc	Х	Х	Х	Present	Х	Present	Х	Х
Potassium Silicate	Х	Х	Х	Present	Х	Present	Х	Х
Titanium(IV) Oxide	Х	Х	Х	Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

- PICCS Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65		
Titanium(IV) Oxide - 13463-67-7	Carcinogen		

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	Х	X	Х
Talc 14807-96-6	Х	X	Х
Titanium(IV) Oxide 13463-67-7	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	<b>Instability</b> Not determined <b>Physical hazards</b> Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	23-Jun-2015 07-Jul-2017 New format			

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**