Safety Data Sheet

Issue Date: 20-May-2015 Revision Date: 07-Jul-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name BEECK Universal Full Colour Silicate Paint

Other means of identification

SDS # BEE-004

Recommended use of the chemical and restrictions on use

Recommended Use Full-color silicate paint for interior and exterior. The product is to be used exclusively for the

applications named in the technical data sheet or in the processing instructions.

Details of the supplier of the safety data sheet

Supplier Address

Historic Building Products, LLC DBA – Beeck Mineral Paints 8161 Regent Parkway #101 Fort Mill, SC 29715-8405 Ph: 704-940-3603

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceTinted liquidPhysical stateLiquidOdorMild

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Signal Word Warning

Hazard statements

Causes skin irritation Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Potassium Silicate	1312-76-1	10-20
Talc	14807-96-6	1-5
Calcium Carbonate	1317-65-3	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Revision Date: 07-Jul-2017

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. If skin irritation occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do NOT induce vomiting. If conscious give 2 glasses of water to dilute. Never

give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects

Symptoms Causes serious eye irritation. Causes skin irritation. May cause gastrointestinal irritation,

nausea, diarrhea, and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible. Heating leads to an increase in pressure. Risk of receptacle bursting.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water spray may be used to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Ventilate area

of leak or spill.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an inert

(i.e. vermiculite, dry sand or earth) absorbent material.

Methods for Clean-Up Place in appropriate containers for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or

smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear

Revision Date: 07-Jul-2017

protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage ConditionsStore in a cool, well-ventilated area, away from ignition sources and incompatible materials.

Keep container tightly closed. Store locked up. Do not use metal containers. Do not use glass containers. Keep at temperatures between 5°C and 25°C. Protect from freezing. Do

not store near acids.

Packaging Materials Do not use containers from following material: aluminum, zinc, glass.

Incompatible Materials Strong acids. Strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH	
Calcium Carbonate	=	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust	
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust	
		fraction		
		(vacated) TWA: 15 mg/m ³ total		
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
Talc	TWA: 2 mg/m ³ particulate matter	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³	
14807-96-6	containing no asbestos and <1%	respirable dust <1% Crystalline	TWA: 2 mg/m ³ containing no	
	crystalline silica, respirable	silica, containing no Asbestos	Asbestos and <1% Quartz	
	particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust	
		more;use Quartz limit		

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations

Ventilation systems. Apply technical measures to comply with the occupational exposure

Revision Date: 07-Jul-2017

limits. Provide acid-resistant flooring.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. The manufacturer recommends the following glove materials: PVC- or rubber gloves. Safety gloves should be selected for the actual conditions of use and in accordance with the instructions for use provided by the manufacturer. Refer

ISO 2555

to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Tinted liquid Odor Mild

Color Not determined Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks</u> • Method

pH 11 ISO 4316

Melting Point/Freezing PointNo data availableBoiling Point/Boiling RangeNo data availableFlash PointNo data availableEvaporation RateNot determinedFlammability (Solid, Gas)Not determined

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit
No data available
Vapor Pressure
No data available
Relative Density
No data available
Solubility
No data available
Partition Coefficient
No data available

Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
No data available

Explosive Properties Not determined Oxidizing Properties Not determined

Page 4/8

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Strong oxidizers.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Silicate	= 5700 mg/kg (Rat)	-	-
1312-76-1			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

IARC: In 2006, IARC concluded that inhaled talc not containing asbestos or asbestiform fibers is not classifiable as a human carcinogen (Group 3). IARC concluded that there is limited evidence that the use of talc-based body powder for perineal dusting is a possible risk factor for ovarian cancer (Group 2B). This is not a route of exposure relevant to workers and applies only to one specific use of talc.

NTP: In 2000, NTP reviewed both "talc containing asbestiform fibers" and "talc not containing asbestiform fibers," and did not list either type in light of continuing uncertainty in the scientific literature. The NTP did not consider the ovarian cancer studies in the evaluation of talc not containing asbestiform fibers because it was unclear if the talc used in these studies might have been contaminated with asbestos. 66 Fed. Reg. 13,334 (Mar. 5, 2001).

U.S.FDA: In 2009 – 2010, U.S. FDA conducted a survey of currently marketed cosmetic products containing talc- as well as the talc in the cosmetic products, and found no asbestos fibers or structures. FDA continues to monitor new information concerning talc safety. There are epidemiology studies on this subject in the reported literature that should be consulted for further information.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc		Group 3		X
14807-96-6				

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 38,255.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium Silicate		301 - 478: 96 h Lepomis	216: 96 h Daphnia magna mg/L
1312-76-1		macrochirus mg/L LC50 3185: 96 h	EC50
		Brachydanio rerio mg/L LC50	
		semi-static	
Talc		100: 96 h Brachydanio rerio g/L	
14807-96-6		LC50 semi-static	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Packaging can be sent for recycling after being emptied and cleaned.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Potassium Silicate	Х	Х	Х	Present	Х	Present	Х	Х
Calcium Carbonate	Х	Х	Х	Present	Х	Present	Х	Х
Talc	Х	Х	Х	Present	Χ	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Ī	Chemical Name	New Jersey	Massachusetts	Pennsylvania
	Calcium Carbonate 1317-65-3	X	X	X
	Talc 14807-96-6	X	X	X

16. OTHER INFORMATION

Health Hazards NFPA **Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Flammability** Physical hazards **Personal Protection HMIS Health Hazards** Not determined Not determined Not determined Not determined

Issue Date: 20-May-2015 **Revision Date:** 07-Jul-2017 **Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet